



10mm Stepped Building

B10-CS-013


Please read these instructions fully before starting construction.

PVA or equivalent glue will be required to stick sections together.

Sand paper can be used to gently clean any joints.

A sharp modelling knife will be required to remove sections from the sprue. Please use knives with due care and remember to cut away from yourself at all times.

During the construction of this model, you may find it convenient to use pegs / elastic bands to hold pieces in place while you allow glue to dry.



Remove the two side walls, door pieces and base from the sprue.



Glue the door pieces to the side walls as shown above.



Attach the base.




Each step is formed from the two pieces shown above.



Glue the solid strip into position using the lugs to align it.




Place the lug at one end of the window piece into the hole in the side wall, then **gently** flex the other side wall until the window piece slips into position.




Continue adding the steps to both side of the lower portion of the building.




Attach the two double window pieces in the same way as the single strips (i.e. one end then **gently** flex the other side wall.)



The solid pieces used to form the upper steps are most easily attached by inserting them at a 45 degree angle so their end lugs go into the slots in the side walls, then rotating them until the lugs of the wall piece underneath them slot into the holes.



The window pieces are attached using the same method as the lower portion of the building.



Continue adding the upper steps to both sides of the building




Then glue the roof into place.




The parapet is formed from the pieces shown above – note the lower two are shorter than the upper two.



Glue a short piece into place (aligned with the side wall of the building.)



Then move round the roof, adding the other three pieces.




The decoration on the lower portion of the building is formed from these pieces.



Glue the porch piece above the door then add the small strips below the lower windows and the long strip below the upper windows (resting on top of the porch).

Repeat on the other door piece.



The side decoration is formed from these pieces.



Glue the long strip into place at the base of the building. Add the lower pieces followed by the upper pieces. The flat edge should be on the outer edge of the building.



Glue two decorative strips onto each of the central double window sections as shown above.