



# 20mm Viaduct B20-RW-100

OO Gauge (4mm)


Please read these instructions fully before starting construction.

PVA or equivalent glue will be required to stick sections together.


Sand paper can be used to gently clean any joints.

A sharp modelling knife will be required to remove sections from the sprue. Please use knives with due care and remember to cut away from yourself at all times.

During the construction of this model, you may find it convenient to use pegs / elastic bands to hold pieces in place while you allow glue to dry.



Take the main platform and four support pieces from the sprue.




Attach the supports under the platform using the holes / lugs provided.



Take one arch and two of the side supports.



Glue the platform to the archway and add the two end supports.



Take two of the base supports from the sprue.




Glue one to each end of the archway as shown above.




Glue the other archway into place.  
Leave to dry.

### Variant 1: Long Side Platform




Take the pieces shown above from the sprue.



Glue the base support and end support into place.



Attach the other piece.



Glue this assembly to a base (see pic)



Also glue one end of the arch to the base.



Take the two cross beams shown above.



Use these to hold the two base supports together.



Attach one of the side platforms.

### Variant 2: Short Side Platform



Using a sharp knife and metal ruler, cut the side platform along the line.




Take the half base and cross beams



Attach these to the end of the archway as shown above.

## Balustrades



Take the balustrade sections from the sprue.



The long sections go on the side platform.  
The shorter pieces go (in pairs) on the main platform.



The completed model.  
(long side platform variant)